



CHILD CARE INSPECTION REPORT FORM

Facility: Prairie Crossing Elementary/ Before and After Phone: (720) 433-0080

Address: 11605 Bradbury Ranch Dr

City/Zip: Parker CO 80134-4308

Email: accounts.payable@dcsdk12.org

Purpose of Inspection: Routine Onsite

Year of Construction: 2001

County	Permit #	Environmental/Public Health Specialist:	Date	Time In	Time Out	Provider License Number
Douglas	CCF18934	Ashley Dwyer	11/04/2022	02:45	03:45	1503800

Items marked "Out" below identify violations to be corrected as indicated by the regulatory authority. *Critical violations, indicated in red and with an asterisk, shall be corrected immediately or no later than the time specified by the regulatory authority. Failure to comply may result in further action by the regulatory authority.

In	Out	NA	NO	Violations
				7.3 Building Design
				3A - Construction Approval
				7.6 Premises
				6A - Grounds Maintained
				6B - Grounds Hazards*
				6C - Solid Waste
				6D - Pools, Hot Tubs & Swim Areas*
				7.7 Facility
				7A - Building Hazards Controlled*
				7B - Building
				7C - Detached Modular Classrooms
				7.8 Sanitary Facilities and Controls
				8A - Safe Water Supply*
				8B - Water System Design/Testing
				8C - Drinking Water Access*
				8D - Hot Water Supply*
				8E - Sewage*
				8F - Plumbing
				8G - Toilet Facilities
				8H - Handwashing Access and Supplies*
				8I - Toileting Hygiene*
				8J - Handwashing/Bathing Facilities
				8K - Custodial Areas
				7.9 Interior Design
				9A - Personal Belongings
				9B - Play Equipment
				9C - Napping Sleeping Areas & Equipment
				9D - Transmission from Common Surfaces*
				9E - Toys, Furnishings & Equipment
				9F - Injured Child Area*
				7.10 Disease Prevention
				10A - Personal Health*
				10B - Demonstration of Knowledge
				10C - Handwash & Hygienic Practices*
				10D - Medication and First Aid*
				10E - Sanitizers*
				10F - Disinfectants*

Violations not indicated as critical are marked out only if they have been evaluated and were found to be out of compliance. If these violations are left blank they were either not in violation or not observed at the time of this inspection.

ENVIRONMENTAL/PUBLIC HEALTH SPECIALIST:

[Signature]

In	Out	NA	NO	Violations
				7.11 Food Service
				11A - Adequate Facilities*
				11B - Critical Requirements*
				11C - Non-Critical Requirements
				11D - Plumbing*
				11E - Ventilation
				11F - Cooking and Holding Equipment
				11G - Refrigeration
				11H - Domestic Equipment
				11I - Operational Requirements*
				7.12 Infant and Toddler Programs
				12A - Personal Items and Bedding
				12B - Staff Clothing for Infant Care
				12C - Feeding*
				12D - Diapering*
				7.13 Care of Animals
				13A - General Care of Animals
				13B - Prohibited Animals*
				13C - Animal Bite Control
				13D - Enclosures
				13E - Child Participation*
				13F - Designated Animal Areas
				7.14 Toxic Materials Management
				14A - Insect and Rodent Control*
				14B - Poisonous or Toxic Materials*
				Radon Testing Results
				0.00 pCi/L
				14C - Art and Science Materials*
				7.15 Compliance Procedures
				15A - Critical Enforcement*
				15B - Non-critical Enforcement
				Compliance Verification Method:
				Follow up Required: NO
				Licensing Recommendation: Approve
				KEY
				In Item in compliance with regulations at the time of inspection.
				Out Item out of compliance with regulations at time of inspection.
				NA (Not Applicable) - This section of the regulation is not applicable to the child care facility.
				NO (Not Observed) - This section of the regulations was not in action and could not or was not observed at the time of the inspection.
				RECEIVED BY:

Observed Violations *(See additional pages if necessary)***10E. Sanitizers (Critical)**

-

Observation: The sanitizer bottle was not labeled with its intended use.

Corrective action: The bottle was labeled with its intended use.

(Corrected on Site)

10F. Disinfectants (Critical)

-

Observation: The disinfectant bottle was not labeled with its intended use.

Corrective action: The bottle was labeled with its intended use.

(Corrected on Site)

General Comments

General Comments

FOOD TEMPERATURES

Food Item	Food State	Temperature
-----------	------------	-------------

WATER QUALITY AND GUAGE READINGS

Free Chlorine	Bromine	pH	Total Alkalinity	Cyanuric Acid	Water Temp	Flow Meter	Pressure Gauge
---------------	---------	----	------------------	---------------	------------	------------	----------------

VOLUNTARY CONDEMNATION

Disposed Items	Disposal Method	Value	Comments
----------------	-----------------	-------	----------